· · · · · · · · · · · · · · · · · · ·				
L Number	Hits	Search Text	DB	Time stamp
1	14836	histor\$4 same (database or (data adj base))	USPAT; US-PGPUB; EPO; JPO; DERWENT:	2004/06/15 14:12
2	9	(histor\$4 same (database or (data adj base))) and segment same (parameter and pointer and (tag or tagged or tagging) and (log or logging or logged or write or wrote or written))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/15 13:10
3	1	((histor\$4 same (database or (data adj base))) and segment same (parameter and pointer and (tag or tagged or tagging) and (log or logging or logged or write or wrote or written))) and (timestamp or (time adj stemp))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/15 13:10
4	660	(histor\$4 same (database or (data adj base))) and (timestamp or (time adj stemp))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/15 14:32
5	1	((histor\$4 same (database or (data adj base))) and (timestamp or (time adj stemp))) and segment same (parameter and pointer and (tag or tagged or tagging) and (log or logging or logged or write or wrote or written))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/15 13:10
6		((histor\$4 same (database or (data adj base))) and (timestamp or (time adj stemp))) and segment same ((tag or tagged or tagging) and (log or logging or logged or write or wrote or written))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/15 13:16
7	6	((histor\$4 same (database or (data adj base))) and (timestamp or (time adj stemp))) and segment same (tag or tagged or tagging)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/15 13:17
8 .	60	(histor\$4 same (database or (data adj base))) and segments! same (tag or tagged or tagging)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/15 13:13
9	1	((histor\$4 same (database or (data adj base))) and segments! same (tag or tagged or tagging)) and (log or logging or logged or write or wrote or written) near2 rate	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/15 13:16
10	51	(histor\$4 same (database or (data adj base))) and (log or logging or logged or write or wrote or written) near2 rate	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 14:05
11	3	((histor\$4 same (database or (data adj base))) and (log or logging or logged or write or wrote or written) near2 rate) and segments! and (tag or tagged or tagging)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/06/15 14:04
12	1	((histor\$4 same (database or (data adj base))) and (log or logging or logged or write or wrote or written) near2 rate) and segment same (log\$4 near2 rate)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/15 14:05
13	3	(histor\$4 same (database or (data adj base))) and segment same (log\$4 near2 rate)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/06/15 14:05

; [14	15	segment same ((log or logging or logged) near2 rate)	USPAT; US-PGPUB;	2004/06/15 14:07
				EPO; JPO;	
				DERWENT:	
				IBM_TDB	
ı	15	560	dynamic\$5 same (resiz\$6 or re-siz\$6)	USPAT;	2004/06/15 14:07
ł				US-PGPUB;	200 1700/10 14.07
				EPO; JPO;	
1				DERWENT;	
		İ		IBM_TDB	,
1	16	79	(dynamic\$5 same (resiz\$6 or re-siz\$6)) and histor\$4 and	USPAT;	2004/06/15 14:11
1			(database or (data adj base))	US-PGPUB;	
		İ		EPO; JPO;	
		ļ		DERWENT;	
1				IBM_TDB	
	17	14	((dynamic\$5 same (resiz\$6 or re-siz\$6)) and histor\$4 and	USPAT;	2004/06/15 14:13
			(database or (data adj base))) and 707/\$.ccls.	US-PGPUB;	
1		1		EPO; JPO;	
ı				DERWENT;	
ı	40	5070		IBM_TDB	
1	18	5370	histor\$4 near3 (database or (data adj base))	USPAT;	2004/06/15 14:13
1				US-PGPUB;	•
				EPO; JPO;	
				DERWENT;	
	19	3727	histor\$4 adj3 (database or (data adj base))	IBM_TDB	2004/00/45 44:42
	19	3/2/	mstor \$4 aujo (database or (data auj base))	USPAT; US-PGPUB;	2004/06/15 14:13
Ì				EPO; JPO;	
ļ				DERWENT;	
1				IBM_TDB	
	20	434	(histor\$4 adj3 (database or (data adj base))) and 707/\$.ccls.	USPAT;	2004/06/15 14:17
١				US-PGPUB;	2001/00/10 14:17
١				EPO; JPO;	
				DERWENT;	
				IBM_TDB	
1	21	4	((histor\$4 adj3 (database or (data adj base))) and 707/\$.ccls.)	USPAT;	2004/06/15 14:15
1			and natural adj gas	US-PGPUB;	
1				EPO; JPO;	
ı				DERWENT;	
	00	000		IBM_TDB	
-	22	268	(histor\$4 adj3 (database or (data adj base))) same (flow or	USPAT;	2004/06/15 14:17
			volume\$5 or gas or produvtion or metering)	US-PGPUB;	
				EPO; JPO;	
				DERWENT;	
	23	359	(histor\$4 adj3 (database or (data adj base))) same (flow or	IBM_TDB USPAT;	2004/06/15 14:17
			volume\$5 or gas or production or metering)	US-PGPUB;	2004/00/15 14:17
			· · · · · · · · · · · · · · · · · · ·	EPO; JPO;	
				DERWENT;	
				IBM_TDB	
	24	38	((histor\$4 adj3 (database or (data adj base))) same (flow or	USPAT;	2004/06/15 14:17
			volume\$5 or gas or production or metering)) and 707/\$.ccls.	US-PGPUB;	
			•···	EPO; JPO;	
				DERWENT;	
		_	[IBM_TDB	
-	25	5	(((histor\$4 adj3 (database or (data adj base))) same (flow or	USPAT;	2004/06/15 14:32
1			volume\$5 or gas or production or metering)) and 707/\$.ccls.)	US-PGPUB;	
			and (timestamp or (time adj stemp))	EPO; JPO;	
				DERWENT;	
L				IBM_TDB	

				T
L Number	Hits	Search Text	DB	Time stamp
2	1	(dynamic\$5 same resiz\$6 same (database or (data adj base)))	USPAT;	2004/06/15 14:40
		and (log\$4 near4 rate) and segments!	US-PGPUB;	
	į		EPO; JPO;	
			DERWENT;	
1,		/d//paraio05 again again00 again (databana ay (databana))	IBM_TDB	0004/00/45 44 44
3	1	(dynamic\$5 same resiz\$6 same (database or (data adj base)))	USPAT;	2004/06/15 14:41
i		and (log\$4 near4 rate) and ((segments! or (group\$3 near	US-PGPUB;	
		point)) with (timestamp or (time adj stamp)))	EPO; JPO;	
			DERWENT;	
	٠,,	d	IBM_TDB	
1	11	dynamic\$5 same resiz\$6 same (database or (data adj base))	USPAT;	2004/06/15 14:43
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
1	1503	and what I have to make the way	IBM_TDB	0004/00/45 44 40
4	1503	calculat\$5 near6 (volum\$6 near flow)	USPAT;	2004/06/15 14:43
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	1	/	IBM_TDB	
5	12	(calculat\$5 near6 (volum\$6 near flow)) and histor\$6 same	USPAT;	2004/06/15 14:46
		(database or (data adj base))	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	_	(IBM_TDB	
6	2	(calculat\$5 near6 (volum\$6 near flow)) and flashrom	USPAT;	2004/06/15 14:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
-,	400	6 1	IBM_TDB	
7	102	flashrom	USPAT;	2004/06/15 14:46
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
8	,	Alaahaan aad bista 60 / l / l / l / l	IBM_TDB	
0	3	flashrom and histor\$6 same (database or (data adj base))	USPAT;	2004/06/15 14:48
			US-PGPUB;	
			EPO; JPO;	
		•	DERWENT;	
9	10	flashrom and 711/\$.ccls.	IBM_TDB	0004/00/45 44 47
ا	10	nashrom and 7 m/a.ccis.	USPAT;	2004/06/15 14:47
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
10	0	(flashrom and 711/\$.ccls.) and (database or (data adj base))	IBM_TDB	2004/06/45 44:40
'-		(nashrom and 7 my.cois.) and (database or (data adj base))	USPAT; US-PGPUB;	2004/06/15 14:48
			EPO; JPO;	
			DERWENT;	
11	61	(calculat\$5 near6 (volum\$6 near flow)) and (database or (data	IBM_TDB USPAT;	2004/06/45 44:40
		adj base))		2004/06/15 14:48
			US-PGPUB;	
			EPO; JPO; DERWENT;	
12	2	((calculat\$5 near6 (volum\$6 near flow)) and (database or	IBM_TDB USPAT;	2004/06/45 44:40
'	-	(data adj base))) and 707/\$.ccls.	US-PGPUB;	2004/06/15 14:49
]		(and any baddy)) and 10114,0013.		
1			EPO; JPO;	
.			DERWENT;	
14	1	(((calculat\$5 near6 (volum\$6 near flow)) and (database or	IBM_TDB	2004/06/45 44:50
1	'	(data adj base))) and 707/\$.ccls.) and segment and pointer	USPAT;	2004/06/15 14:50
		(Sale 33) 2350/// and 707/4.003./ and Segment and pointer	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

13	2	(((calculat\$5 near6 (volum\$6 near flow)) and (database or	USPAT;	2004/06/15 14:50
		(data adj base))) and 707/\$.ccls.) and segment	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	

l Nimbor	مفتليا	Coursh Tout	DB	Time stame
L Number	Hits 873	Search Text historical adj (database or (data adj base))	USPAT;	Time stamp 2004/06/15 11:20
'	0/3	nistorical adj (database or (data adj base))	US-PGPUB;	2004/00/15 11.20
			EPO; JPO;	
			DERWENT:	
			IBM_TDB	
2	8	(historical adj (database or (data adj base))) and segments	USPAT;	2004/06/15 11:20
2	8	and (timestamp\$3 or (time adj stamp\$3)) and tag\$4 and	US-PGPUB;	2004/00/15 11.20
		pointers!	EPO; JPO;	
		pointers:	DERWENT;	
			IBM_TDB	
3	8	(historical adj (database or (data adj base))) and segments	USPAT;	2004/06/15 11:05
3	U	and (timestamp\$3 or (time adj stamp\$3)) and tag\$4 and	US-PGPUB;	2004/00/15 11:05
		pointers! and frequency	EPO; JPO;	
		pointers: und requertey	DERWENT;	
			IBM_TDB	
4	8	(historical adj (database or (data adj base))) and segments!	USPAT;	2004/06/15 11:08
-	Ŭ,	and (timestamp\$3 or (time adj stamp\$3)) and tag\$4 and	US-PGPUB;	2004/00/13 11.00
		pointers! and frequency	EPO; JPO;	
		pointers: and frequency	DERWENT:	
5	8	(historical adj (database or (data adj base))) and segments!	IBM_TDB USPAT;	2004/06/15 11:10
"		and (timestamp\$3 or (time adj stamp\$3)) and tag\$4 and	US-PGPUB;	2004/00/13 11.10
		pointers! and frequency and log\$4	EPO; JPO;	
		pointers: and frequency and logget	DERWENT;	
			IBM_TDB	
6	0	(historical adj (database or (data adj base))) and gas near flaw	USPAT;	2004/06/15 11:10
0	0	(mistorical adj (database of (data adj base))) and gas fical haw	US-PGPUB;	2004/00/13 11.10
			EPO; JPO;	
		•	DERWENT;	
			IBM_TDB	
8	2	((historical adj (database or (data adj base))) and gas near	USPAT;	2004/06/15 11:11
		flow) and logging	US-PGPUB;	2004/00/13 11.11
		now, and logging	EPO; JPO;	
1			DERWENT;	
1			IBM_TDB	
9	113	(historical adj (database or (data adj base))) and logging	USPAT;	2004/06/15 11:11
		(motorious day (database or (data day base))) and logging	US-PGPUB;	200 17007 10 11:11
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
7	23	(historical adj (database or (data adj base))) and gas near flow	USPAT;	2004/06/15 11:13
		(and any control gard the man	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
11	3321	logging adj system	USPAT;	2004/06/15 11:13
	1		US-PGPUB;	
			EPO; JPO;	· ·
			DERWENT;	
			IBM_TDB	
13	1	((logging adj system) and gas adj flow) and 707/\$.ccls.	USPAT;	2004/06/15 11:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
12	40	(logging adj system) and gas adj flow	USPAT;	2004/06/15 11:21
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
14	1	((logging adj system) and gas adj flow) and segment and	USPAT;	2004/06/15 11:14
		pointer	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	<u></u> _		IBM_TDB	
				· · · · · · · · · · · · · · · · · · ·

15	33	(logging adj system) and segment and (timestamp\$3 or (time adj stamp\$3)) and tag\$4	USPAT; US-PGPUB; EPO; JPO;	2004/06/15 11:14
10	10		DERWENT; IBM_TDB	
16	18	((logging adj system) and segment and (timestamp\$3 or (time adj stamp\$3)) and tag\$4) and segment and pointer	USPAT; US-PGPUB; EPO; JPO;	2004/06/15 11:14
10	13	(historical adj (database or (data adj base))) and logging adj system	DERWENT; IBM_TDB USPAT; US-PGPUB;	2004/06/15 11:17
		System	EPO; JPO; DERWENT; IBM_TDB	
17	21	(historical adj (database or (data adj base))) and gas adj flow	USPAT; US-PGPUB; EPO; JPO;	2004/06/15 11:18
18	9926	historical adj (database or (data adj base) or data or	DERWENT; IBM_TDB USPAT;	2004/06/15 11:20
		information)	US-PGPUB; EPO; JPO; DERWENT;	
19	93	(historical adj (database or (data adj base) or data or information)) and segment and (timestamp\$3 or (time adj stamp\$3)) and tag\$4 and pointer and (log\$4 or writ\$5)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/15 11:24
20	20	((historical adj (database or (data adj base) or data or	DERWENT; IBM_TDB USPAT;	2004/06/15 11:21
		information)) and segment and (timestamp\$3 or (time adj stamp\$3)) and tag\$4 and pointer and (log\$4 or writ\$5)) and rare	US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/00/13 11.21
21	0	(((historical adj (database or (data adj base) or data or information)) and segment and (timestamp\$3 or (time adj stamp\$3)) and tag\$4 and pointer and (log\$4 or writ\$5)) and rare) and gas adj flow	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/15 11:21
22	75	((historical adj (database or (data adj base) or data or information)) and segment and (timestamp\$3 or (time adj stamp\$3)) and tag\$4 and pointer and (log\$4 or writ\$5)) and rate	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/15 11:23
23	1	(((historical adj (database or (data adj base) or data or information)) and segment and (timestamp\$3 or (time adj stamp\$3)) and tag\$4 and pointer and (log\$4 or writ\$5)) and rate) and gas adj flow	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/15 11:21
24	82	((historical adj (database or (data adj base) or data or information)) and segment and (timestamp\$3 or (time adj stamp\$3)) and tag\$4 and pointer and (log\$4 or writ\$5)) and sample adjrate	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/15 11:22
25	8	((historical adj (database or (data adj base) or data or information)) and segment and (timestamp\$3 or (time adj stamp\$3)) and tag\$4 and pointer and (log\$4 or writ\$5)) and sample adj rate	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2004/06/15 11:22
26	15	(((historical adj (database or (data adj base) or data or information)) and segment and (timestamp\$3 or (time adj stamp\$3)) and tag\$4 and pointer and (log\$4 or writ\$5)) and rate) and 707/\$.ccls.	DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/06/15 11:27
L	L		IBM_TDB	

			•	
~28	93	(historical adj (database or (data adj base) or data or	USPAT;	2004/06/15 11:26
		information)) and segment and (timestamp\$3 or (time adj	US-PGPUB;	
		stamp\$3)) and tag\$4 and pointer and (log or logged or logging	EPO; JPO;	
	,	or write or writing or wrote or written)	DERWENT;	
29	55	(/historical adi (databasa ar (data adi basa) ar data ay	IBM_TDB	2004/06/45 44:20
29	55	((historical adj (database or (data adj base) or data or	USPAT;	2004/06/15 11:28
		information)) and segment and (timestamp\$3 or (time adj	US-PGPUB;	
		stamp\$3)) and tag\$4 and pointer and (log or logged or logging	EPO; JPO;	
	}	or write or writing or wrote or written)) and (707/\$.ccls. or	DERWENT;	
30	45	709/\$.ccls. or 717/\$.ccls. or 705/\$.ccls. or 711/\$.ccls.)	IBM_TDB	0004/00/45 44:00
30	45	(((historical adj (database or (data adj base) or data or	USPAT;	2004/06/15 11:28
	1	information)) and segment and (timestamp\$3 or (time adj	US-PGPUB;	
		stamp\$3)) and tag\$4 and pointer and (log or logged or logging	EPO; JPO;	
		or write or writing or wrote or written)) and (707/\$.ccls. or 709/\$.ccls. or 717/\$.ccls. or 705/\$.ccls. or 711/\$.ccls.)) and	DERWENT;	
		parameters!	IBM_TDB	
31	18	(((historical adj (database or (data adj base) or data or	USPAT;	2004/06/15 11:29
31	10	information)) and segment and (timestamp\$3 or (time adj	US-PGPUB;	2004/06/15 11.29
		stamp\$3)) and tag\$4 and pointer and (log or logged or logging	EPO; JPO;	
		or write or writing or wrote or written)) and (707/\$.ccls. or	DERWENT:	
		709/\$.ccls. or 717/\$.ccls. or 705/\$.ccls. or 711/\$.ccls.)) and	IBM TDB	
		parameters! and segments! and pointers!	I IDIVI_I DB	
32	18	((((historical adj (database or (data adj base) or data or	USPAT;	2004/06/15 11:30
32	'0	information)) and segment and (timestamp\$3 or (time adj	US-PGPUB;	2004/06/15 11.30
		stamp\$3)) and tag\$4 and pointer and (log or logged or logging	EPO; JPO;	
		or write or writing or wrote or written)) and (707/\$.ccls. or	DERWENT:	
		709/\$.ccls. or 717/\$.ccls. or 705/\$.ccls. or 711/\$.ccls.)) and	IBM TDB	
		parameters! and segments! and pointers!) and (tag or tagged	I IOW TOB	
		or tagging)		
		[or tagging/	1	l